


NORO®










- SE** Denna produkt innehåller en ljuskälla med energieffektivitetsklass F
DK Dette produkt indeholder en lyskilde i energieffektivitetsklasse F
NO Dette produktet inneholder en lyskilde med energieffektivitetsklasse F
FI Tämä tuote sisältää valonlähteen, jonka energiatehokkuusluokka on F
ENG This product contains a light source of energy efficiency class F

ALVA 420

Lot No.

- SE** LOT-nummer
- FI** LOT-numeron
- NO** LOT-nummeret
- DK** LOT nummer
- UK** LOT number


NORO®




- SE** LOT nummer används för spårning av information av produktens tillverkningshistoria. Informationen är mycket viktig i vår strävan av att göra Noro's produkter bättre.
- FI** LOT numeroa käytetään jäljittämään tuotteen valmistushistoria. Tieto on erittäin tärkeä jotta voimme parantaa Noro tuotteiden laatua.
- NO** LOT nummer brukes for sporing av informasjon av produktet produksjonshistorie. Informasjonen er viktig for at vi skal kunne gjøre Noro's produkter bedre.
- DK** LOT nummer bruges til at spore oplysninger om produktets fremstilling historie. Oplysningerne er meget vigtig i vores bestræbelser på at gøre Noro's produkter bedre.
- UK** LOT number is used to track the details of the product's manufacturing history. The information is very important in our quest to make the Noro's products better.

NORO Alva 420 (mm)

- Ⓢ🇪 Installationsmått för el
- Ⓢ🇫🇮 Sähköasennusmitat
- Ⓢ🇳🇴 Installasjonsmål for el
- Ⓢ🇩🇰 Installationsmål for el
- Ⓢ🇬🇧 Measurements for installation of electricity




- | | |
|------------------------|---|
| Ⓢ🇪 ★ =Uttag för el | ■ =Alternativt område för framdraging av el |
| Ⓢ🇫🇮 ★ =Sähköliitäntä | ■ =Vaihtoehtoinen alue sähkönsyötölle |
| Ⓢ🇳🇴 ★ =Strømuttak | ■ =Alternativt område ved fremdraging av elektrisitet |
| Ⓢ🇩🇰 ★ =Udtag til el | ■ =Alternativt område for fremtagning af el |
| Ⓢ🇬🇧 ★ =Electric outlet | ■ =Optional area for electrical wiring |



	A	B	C	D
420mm model	685mm	198mm	424mm	120mm

- 1) The light source of this luminaire is not replaceable; when the light source reaches its end of life the whole luminaire shall be replaced
- 2) If the flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard
- 3) The Minimum distance from lighted objects is 0,3 m.
- 4) For indoor use only.

A x 8



B x 4



C x 4



3x16mm

D x 4




5x50mm

**FOR CIRCUIT
BREAKER SOCKET**

H x 1





E x 1




F x 1




G x 1




Art. nr.	Qty	Meas. (mm)
①	2	660 X 120 X 18
②	1	384 X 80 X 15
③	1	384 X 120 X 15
④	1	424 X 198 X 25
⑤	1	384 X 120 X 18
⑥	1	394 X 652 X 5
⑦	1	379 X 633 X 6
⑧	2	382 X 76 X 6



1A1






1A2




1A


1B1



B.1





B.2




B.3


1B2



B.4






B.5



B.6

1B



ALVA 420

035 166430 **SE**
info@noro.se

020 7435740 **FI**
info@norokylpyhuone.fi

216 28860 **NO**
info@noro.se

702 52822 **DK**
info@noro.dk